VOLUME 2 ISSUE 1

ISSN: 2230-4818

JOURNAL OF SCIENTIFIC & INNOVATIVE RESEARCH

ORIGINAL RESEARCH ARTICLE

Remote Sensing & GIS based integrated decision support system for mustard crop in Rajasthan State

Ajaya Kumar Sahu^{*,} Dr. H.B.Singh¹, Dr. Anji Reddy²

- 1. Mustard Research & Promotion Consortium, 307, Jyoti Shikar Building, District Center, Janakpuri, New Delhi-110058.
- 2. Department of Environmental Sciences, JNTU-Hyderabad, Kukatpalli, Hyderabad, A.P-85.

ABSTRACT

In India Decision support system for oilseed sector is still a big challenge. Mustard crop is one of the major oilseed crops of India. The information on spatial distribution of mustard crop, production and estimates and creation of spatial databases for major mustard producing state Rajasthan (Alwar & Bharatpur), is being conducted through remote sensing and GIS. The generation of spatial & non-spatial data through field survey, GPS methods, thematic data using high resolution satellite images (IRS-P6-LISS-III), topographic data using SOI toposheets and collateral data from various organizations. All integration leads to the development of GIS based crop and yield estimation. The Web based Decision Support System (DSS), which can support the users like Farmers, Traders, Processors, Mandi, Transporters, Industries, for their advance planning of crop management, procurement, stock, availability and post harvesting decision like where & when to sell the seeds. The integrated agronomic data for mustard crop advisories to help producers and policy makers properly and agencies involved in policy developments like import, export, minimum support price etc. This single platform website which can implement the functions, explicit & user friendly menu screens for database maintenance, information query on spatial & non-spatial database using SQL, ASP dot NET, JAVA software. This decision support system will prove as an indispensable tool in making of oil import policy timely and as a factor in deciding oil prices as it gives an estimation of mustard production before its harvesting.

Keywords: GIS, Rapeseed Mustard Crop & Yield Estimation, DSS Agricultural Information, Web Based GIS Application.

Address for correspondence:

Ajaya Kumar Sahu* Research Scholar, Department of Environmental Sciences, JNTU-Hyderabad, Kukatpalli, Hyderabad, A.P-85. E-mail: geoajaya@yahoo.co.in

INTRODUCTION

Rapeseed-Mustard being the winter crop is facing a large number of problems because of small size and high mobility of the seed. It is exposed to various external vagaries, just during harvesting and after

harvesting, responsible for various types of seed losses and seed damages. There are various factors responsible for loss and damage of mustard seeds via, time of harvesting, the time period for sun drying, method and efficiency of threshing, distance from field to threshing floor, type of threshing method, type of threshing floor used, type of cleaning, method of transportation, storage types etc. The stages that have been covered under this survey are Shattering, Handling, Cleaning, Transportation, Storage and Processing. Whereas, the levels mainly covered in the said stages were Farmers at Farm level, Traders/Commission agents at Mandi level, Storage at farmers, Transporters & Processors level and Mustard oil units at Industries & Processor level.

A decision support system for various applications in major oilseeds is still a big Challenge in India. Various policies like import, internal stock assessment, availability, regional distribution, crop protection system etc. are purely based on strong scientific and technology based support system. Spatial distribution of agricultural crops and their price policy and fluctuations thereof is nowhere in policy-making Indian agriculture or system. Therefore, to cater the needs of Indian mustard producers, traders, processors, policy makers, crop advisory agencies and various Govt. Departments etc. it is important to develop an integrated decision support system. This support system is categorized into three major heads like, involvement of remote sensing and GIS and field survey, creation of a spatial database for crop estimation/forecast and market price fluctuations and development of a portal which will integrate the whole information for the end users.

MATERIAL AND METHODOLOGY

In this Research work, there are different types of materials can use, which were collected from different Government Organizations as well as some Private Organizations also. There are some Primary Data's as well as some Secondary Data's were used for this Project work, they are described as below.

Primary data: -

Satellite data: - Last 3 years (2007-08, 2008-09, 2009-10) study area RESOURCESAT-1 (IRS-P6) LISS-III satellite images were purchased from the National Remote Sensing Center (NRSC).

Agro-metrological data: - All Agro-Metrological Data's were collected from Indian Metrological Department (IMD) Data center, Pune. All data should be on Daily basis with the parameters of temperature (minimum & maximum), soil moisture, and rainfall (minimum & maximum) observations of our study areas.

Mandi information data: - During the field visiting time, collecting of all Mandi information with detail contacts, addresses, location of Mandi's, progressive farmers, Traders, Industries and processors in each district wise has been done. Other then this collection, some secondary source like internet, some published magazines and AGMARK web site.

Field survey work: - Real time data of Mustard crop field data should be collected year wise during the Rabi crop season in our study area. The field work data should be collected through Global Position System (GPS) instrument of GARMIN eTrax- 4.2 version of hand instrument. Primarily the 10-15, GPS location waypoints were taken each district wise and gradually increase in year wise up to 25-30 waypoints of each study area district. It can also indicate the geographical location, elevation and direction of field as per globally. Simultaneously we collected the non-mustard field also, for our accuracy assessment, with a distance of 15-20 km. During the field work time also collected all crop field length and width, Crop Variety, and Height of

Plant, Health or Quality (Poor/good/very good) and quantity of plants per Sq. Meter area.

Ancillary data: -

During the work, some secondary data's were collected from different Government organizations. The Details are as in below-

Toposheets: - For the Base map preparation we collected all Study area toposheets from Survey of India (SOI) with a scale of 1:50,000.

Soil maps: - The study area soil maps were purchased from National Bureau of Soil Survey and Land Use Planning (NBSS&LUP) Nagpur. The maps were used for study area soil characters as well as conditions and effects on their respective mustard agriculture crop area.

Software's Used: -

In this work, different types of software's were used for the data analysis, digital image processing (DIP), data storing, data capturing, data entering, statistical analysis, validation of work and data creation for web application, uploading, storage etc. There are mainly 7 categories software's used under with 8 main types.

Table 1:

Sl. No.	Type of Software	Purpose of Uses	Name of Software with Versions
1	GIS	GIS Work	Arc-GIS (9.2),
	Software		Arc-View
			(3.2a), Gram
			++ (2.1)
		Digital	EARDAS
		Image	Imagine (9.1),

		1 i o o o o o o o o o o o o o o o o o o	21111 (110)		
2	Statistical	Statistical	SYSTAT (13)		
	Software	Work			
3	Validation	Validation	Info CROP		
	Software	Work	(1.1), DSSAT		
			(4.2)		
4	GPS	Field Survey	Garmin eTrex		
	Software	Work	Vista (4.0)		
5	Development	Web Portal	ASP.NET-3.5,		
	Software	Development	SQL Server-		
		Work	2005, JAVA		
			Script,		
			HTML,		
6	Animation &	Design,	Macromedia		
	Design	Animation	Flash (8),		
	Software	Work	Adobe		
			Photoshop		
			CS2,		
			CorelDraw		
			Graphics Suits		
			(12), Adobe		
			Dreamweaver		
			CS3		
7	Server Used	Map OPEN SOURCE			
		SERVER			
Table 1 shows the use of Software's & Purposes					
Development of much head information					

Processing

Development of web based information system:

Web based GIS are evolved from different Web maps and client-server architecture to distributed ones. As such, Internet reshapes all functions of information systems including: gathering, storing, retrieving. analyzing, andzvisualizing data. Moreover, disseminating spatial information on the Internet improves the decision making processes.

Development of the Web and expansion of the Internet provides two key capabilities that can greatly help the stakeholders. First, the Web allows visual interaction with data. By setting up a Web

http://www.jsirjournal.com

ENVI (4.6)

Server, clients can produce maps. Since the maps and charts are published on the Internet, other clients can view these updates, helping to speed up the evaluation process. Second, because of the near ubiquitous nature of the Internet, the geospatial data can be widely accessible. Clients can work on it from almost any location. The combination of easy access to data and visual presentation of it addresses some of the primary difficulties in performing Geosciences evaluations. Web GIS is not without its challenges. The primary problem is speed; GIS relies on extensive use of graphics. Connection speeds over the Internet can make heavy use of graphics intolerably slow for users. This facility is to view maps with administrative and other necessary overlays. The site have facilitated user in query regarding crops and growing environments.

DISCUSSION OF WEB BASED INFORMATION SYSTEM

Web Portal development is under process for which the Crop & Yield Estimation including the real time changing; through the GIS web portal is done. Mainly it will represent all previous, current and future estimation related information, market price, Mandi information, trader's information as well as all oil Manufacture Industries related to Mustard Oil. It will also provide information on soil characters, meteorological activities, which will help farmers to take appropriate decisions i.e. method and time of sowing, harvesting, and selling the seed to nearest Mandi as well as industries, from where they can get the maximum values for their products. Crop, Yield, Farmers Suggestion, journal, lab-testing information is also available on payment basis from this web side. This web site is very useful for fetching information about Rapeseed Mustard. After up-loading of this website in web server any one can asses some general information, and after getting registered to the site one can assess

http://www.jsirjournal.com

all downloading, queries and get all real time data information about this oil seed crop. This web portal can attach in the form of open source at Google, some Specific Agricultural, or linking web site. For getting any information user can register freely in the FORMS tools, then they can access all useful material, which pops up as a separate window. This web is site now in Under Construction.




Fig. 1 Online GIS Based DSS Web Portal.




Fig. 2 Online Generating GIS Based Integrated DSS Web Portal.

CONCLUSION

This application is a software independent system that users do not have to buy GIS software and this system can be viewed through all internet browsers. The response time for generating map based information related to the server configuration and network connection. However users are able to retrieve location based agriculture information within minutes.

The web based Rapeseed mustard GIS system built for the Farmers, Traders, Industries, District wise Mandi's and Processors community in the Alwar and Bharatpur districts of Rajasthan State, with the required functionality farming community's requirements. This system will also help to generate of user satisfaction with this system, areas that need to be improved will be addressed in the future of this system.

ACKNOWLEDGEMENT

My Sincere Thanks to Director, MRPC, Dr. H. B. Singh, New Delhi-110058, for permission to publish this paper. Also Sincere Thanks of my Research Supervisor Dr. H. B. Singh and Co-Supervisor Dr. Anji Reddy for their valuable assistance during of my Research work.

REFERENCES

1. Choi, Jin-Yong, Bernard, A., Engel and Richard L. Farnsworth, Web-based GIS and spatial decision support system for watershed management, Journal of Hydroinformatics, Volume 2005; 3: 165-174.

2. Nik Norasma Che Ya, Abdul Rashid Mohamed Shariff, Mohd Amin Mohd Soom, Ahmad Rodzi Mahmud, Generating online GIS Decision Support System for Paddy Precision Farming, www.gsdi.org/gsdiconf /gsdi11/ papers/ pdf/225.pdf. 3. Potdar, B., M., Manjunath, R., K., Purohit, L., N., Development and Validation of Spectrometrological Yield Models of Mustard Oil Seed Crop in Rajasthan State, Journal of the Indian Society of Remote Sensing. 1999; 27(4): 205-215.

4. Sharma, A., S., Bhatt, P., H., Ajai, Nanavaty, Sandeep., Rapeseed-Mustard Acreage Estimation Using IRS LISS-II Data, Journal of the Indian Society of Remote Sensing, 1991; 19(1): 59-65.

5. Andreas Jarfe, Armin Werner, Development of a GIS-based management system for precision Agriculture, www.preagro.de/Veroeff/USA_ Management.pdf.

6. Huang Jing-Feng, Tang Sgu-Chuan, Wang Ren-Chao, Ousama Abou-Ismail, Rice yield estimation using remote sensing and simulation models, Journal of Zhejiang University SCIENCE, 2002; 3(4) Sep. –Oct: 461-466.

7. B. A. M. Bouman, Crop modeling and remote sensing for yield prediction, Netherlands Journal of Agricultural Science, 1995; 43: 143-161.

8. Satya Priya, GIS based crop production model and its applications, Map India-2002. www.gisdevelopment.net/application/agriculture/ production/agri0008pf.htm